

### Bid Document

Bid Details	
Bid End Date/Time	03-09-2019 15:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Human Resource Development
Department Name	Department Of Higher Education
Organisation Name	Indian Institute Of Management (iim)
Office Name	Sambalpur, Odisha
Total Quantity	20
Item Category	Almirah Steel ( <b>PAC Only</b> ) , Centre Table ( <b>PAC Only</b> ) , Almirah Steel ( <b>PAC Only</b> )
Average Turnover (Last 3 Years)	1 Lakh (s)
OEM Average Turnover (Last 3 Years)	1 Lakh (s)
Experience with Government Required	3 Year (s)
MSE Exemption For Years Of Experience And Turnover	Yes
Startup Exemption For Years Of Experience And Turnover	Yes
Document required from seller	Experience with Government,Annual Turnover
Bid to RA enabled	No

### Almirah Steel ( 10 pieces ) ( Under PAC )

Make	godrejinterio
Model	godrejinteriostorwelplain

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	<b>Material</b>	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS

	513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
<b>Material of AlmiraH Doors</b>	M S Sheet	M S Sheet
<b>Sheet Thickness of Locker</b>	N.A	N.A
<b>Length of Glass Sheet ±10 (mm)</b>	N.A	N.A
<b>Width of Glass Sheet ±10 (mm)</b>	N.A	N.A
<b>Sheet Thickness of door in mm</b>	0.8 mm (Minimum)	0.8 mm (Minimum)
<b>Sheet Thickness of sides,back , Top and Bottom</b>	0.8 mm (Minimum)	0.8 mm (Minimum)
<b>Sheet Thickness of Shelves</b>	0.7 mm	0.7 mm
<b>Sheet Thickness of Pedestal in mm</b>	1.0 mm	1.0 mm
<b>Material of Lock</b>	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
<b>Material of Keys</b>	keys made of MAZAK / ZAMAK having nickle plated finish	keys made of MAZAK / ZAMAK having nickle plated finish
GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>	No
	<b>No of shelves (Nos)</b>	4
	<b>Type of Shelves</b>	Adjustable
	<b>Locker Provided</b>	No
	<b>Locking System with the locker</b>	NA
	Cloth hanging provision in the AlmiraH	No
	<b>Number of Doors (Nos)</b>	2
	<b>Door Stiffner upto full door height Provided with the almiraH doors</b>	Yes
		*

	<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>	3	3
	<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>	N.A	N.A
	<b>Construction</b>	Welded	Welded
	<b>Lock</b>	Three Way bolting device controlled by 6 lever lock	Three Way bolting device controlled by 6 lever lock
DIMENSION	<b>Height (Without Pedestal) (in mm) (+/- 10 mm)</b>	1855	1855
	<b>Width in mm (<math>\pm 7</math> mm)</b>	910	910.0
	<b>Depth in mm (<math>\pm 5</math> mm)</b>	486	486.0
	<b>Inside Height of Locker in mm (<math>\pm 5</math> mm)</b>	N.A	N.A
	<b>Inside Width of Locker in mm (<math>\pm 5</math> mm)</b>	N.A	N.A
	<b>Inside Depth of Locker in mm (<math>\pm 5</math> mm)</b>	N.A	N.A
	<b>Width of Stiffner in mm (<math>\pm 5</math> mm)</b>	125 mm	125 mm
	<b>Thickness of MS Sheet of Stiffner (in mm)</b>	0.6 mm	0.6 mm
	<b>Stiffened Pedestal height in mm (<math>\pm 2</math> mm)</b>	125	125
	<b>Pedestal Width in mm (<math>\pm 2</math> mm)</b>	75	75
COLOUR & FINISH	<b>Finish</b>	powder coated	powder coated
	Colour of Paint	steel gray	*
	Packing:	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap	*
CERTIFICATION	ISI marked	No	*
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1	1

\* Bold specifications are the golden parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ratri Parida	768019,Indian Institute of Management Sambalpur, Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha- 768019	10	30

### Centre Table ( 4 pieces ) ( Under PAC )

Make	godrejinterio
Model	godrejinteriosplendacornertable

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked down to be assembled at Consigning site by the seller	*
	Shape of the Centre table	Rectangular	*
	Style of Centre Table	Supported by set of Legs	*
	Design of centre table	With four legs only	*
	<b>Number of storage under top</b>	No storage	No storage
MATERIAL	<b>Top material</b>	Medium Density Fiberboard	Medium Density Fiberboard
	<b>Frame material</b>	Other wood	Other wood
	Leg material	Other wood	*
	Material of Understructure supporting the top	Other wood	*
	Storage material	Medium Density Fiberboard	*
	Shoes Material	Nylon	*
DIMENSION &	<b>Dimension of Top</b>	457mm(Dia)	457mm(Dia)

THICKNESS	<b>(length X Breadth) ±20mm</b>		
	<b>Height of centre table ±10 mm</b>	460	460.0
	<b>Thickness of top material (+/-2 mm)</b>	18	18.0
	<b>Thickness of frame material (+/- 1 mm)</b>	36	36.0
	Thickness of leg material	35mm X 35mm	*
	Thickness of understructure support material	36	*
MISC	connecting of leg	Adjacent side of leg	*
	Number of buffers	Four number at bottom	*
COLOUR & FINISH	Table top finish	Natural	*
WARRANTY	<b>Warranty period in number of years</b>	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	Product having BIFMA certification	NO	*
	OEM of offered product is ISO 9001:2015 certified	YES	*
	OEM of offered product is ISO 14001:2015 certified	YES	*
	OEM of offered product is ISO 18001:2007 certified	YES	*

\* Bold specifications are the golden parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ratri Parida	768019, Indian Institute of Management Sambalpur, Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha- 768019	4	30

#### **Almirah Steel ( 6 pieces ) ( Under PAC )**

Make	godrejinterio
Model	godrejinterioslidenstorepro1350ht

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	<b>Material</b>	M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312)	M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312)
	<b>Material of Almirah Doors</b>	M S Sheet	M S Sheet
	<b>Sheet Thickness of Locker</b>	N.A	N.A
	<b>Length of Glass Sheet ±10 (mm)</b>	N.A	N.A
	<b>Width of Glass Sheet ±10 (mm)</b>	N.A	N.A
	<b>Sheet Thickness of door in mm</b>	0.8 mm (Minimum)	0.8 mm (Minimum)
	<b>Sheet Thickness of sides,back , Top and Bottom</b>	0.7 mm minimum (Not as per IS 3312)	0.7 mm minimum (Not as per IS 3312)
	<b>Sheet Thickness of Shelves</b>	0.6 mm	0.6 mm
	<b>Sheet Thickness of Pedestal in mm</b>	NA	NA
	<b>Material of Lock</b>	steel	steel
	<b>Material of Keys</b>	steel	steel
GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>	No	No
	<b>No of shelves (Nos)</b>	5	5
	<b>Type of Shelves</b>	Fixed	Fixed
	<b>Locker Provided</b>	No	No
	<b>Locking System with the locker</b>	NA	NA
	Cloth hanging provision in the Almirah	Yes	*
	<b>Number of Doors (Nos)</b>	2	2

	<b>Door Stiffner upto full door height Provided with the almirah doors</b>	Yes	Yes
	<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>	SLIDING DOORS NO HINGES	SLIDING DOORS NO HINGES
	<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>	N.A	N.A
	<b>Construction</b>	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
	<b>Lock</b>	Cam Lock	Cam Lock
DIMENSION	<b>Height (Without Pedestal) (in mm) (+/- 10 mm)</b>	1855	1855
	<b>Width in mm (<math>\pm 7</math> mm)</b>	1023	1023.0
	<b>Depth in mm (<math>\pm 5</math> mm)</b>	486	486.0
	<b>Inside Height of Locker in mm (<math>\pm 5</math> mm)</b>	N.A	N.A
	<b>Inside Width of Locker i mm (<math>\pm 5</math> mm)</b>	N.A	N.A
	<b>Inside Depth of Locker in mm (<math>\pm 5</math> mm)</b>	N.A	N.A
	<b>Width of Stiffner in mm (<math>\pm 5</math> mm)</b>	115 mm	115 mm
	<b>Thickness of MS Sheet of Stiffner (in mm)</b>	0.6 mm	0.6 mm
	<b>Stiffened Pedestal height in mm (<math>\pm 2</math> mm)</b>	NA	NA
	<b>Pedestal Width in mm (<math>\pm 2</math> mm)</b>	NA	NA
COLOUR & FINISH	<b>Finish</b>	powder coated	powder coated
	Colour of Paint	brown	*
	Packing:	Five Ply Corrugated Board And Strapped	*

		With 12 Mm Hdpe Strap	
CERTIFICATION	ISI marked	No	*
	CM/L No.	NA	*
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1	1

\* Bold specifications are the golden parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ratri Parida	768019,Indian Institute of Management Sambalpur, Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha- 768019	6	30

#### EMD Detail

Required	No
----------	----

#### ePBG Detail

Required	No
----------	----

#### Splitting

Bid splitting not applied.

### Buyer Specific Additional Terms and Conditions

- Procurement under this bid is reserved for purchase from :** Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category.
- Scope of supply (Bid price to include all cost components) :** Supply Installation Testing and Commissioning of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---