

### Bid Document

Bid Details	
Bid End Date/Time	13-10-2020 18:00:00
Bid Opening Date/Time	13-10-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Human Resource Development
Department Name	Department Of Higher Education
Organisation Name	Indian Institute Of Management (iim)
Office Name	Sambalpur, Odisha
Total Quantity	319
Item Category	Revolving Chair ( PAC Only ) , Sofas ( PAC Only )
Bidder Turnover (Last 3 Years)	2 Lakh (s)
OEM Average Turnover (Last 3 Years)	4 Lakh (s)
Experience Criteria	2 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	10 %
Bid to RA enabled	No
Primary product category	Revolving Chair
Inspection Required	No

#### EMD Detail

Required	No
----------	----

#### ePBG Detail

Required	No
----------	----

#### Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or

through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document.

Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### Revolving Chair ( 300 pieces ) ( Under PAC )

Make	godrejinterio
Model	godrejinterioacemidbackchair

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	<b>Pedestal Base</b>	Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size	Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	<b>Arm Material</b>	aluminium covered with pu	aluminium covered with pu
	<b>seat material</b>	PU Foam covered with Fabric	PU Foam covered with Fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	NA	*
	<b>Material of Fabric Back Cover / Material for Backrest</b>	Innner frame Upholstered with Mesh fabric and mounted on main assembly	Innner frame Upholstered with Mesh fabric and mounted on main assembly
	<b>Material of Fabric of Seat Cover</b>	100% polyester fabric	100% polyester fabric
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram	*
GENERAL	<b>Chair Type</b>	Advance Bio Synchronic	Advance Bio Synchronic
	Tilt Tension Adjustment	Yes	*
	<b>Height Adjustment <math>\pm 5</math>(mm)</b>	up to 100 mm	up to 100 mm
	<b>Arm</b>	With	With

	<b>Type of backrest support</b>	Backrest With Adjustable Lumber Support	Backrest With Adjustable Lumber Support
	<b>Arm Type</b>	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	As per Buyer's choice	*
	<b>Ergonomic Seat Design</b>	Yes	Yes
	<b>Back type</b>	push back	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*
	<b>backrest has separate adjustable headrest</b>	No	Yes, No
	<b>Seat type</b>	sliding	sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	5-Position Locking	*
	<b>Number of arm movement</b>	4(up & down end left & right)	4(up & down end left & right)
	<b>Lumber support</b>	integrated	integrated
DIMENSION	<b>Overall Chair Height ±15mm</b>	950	950
	<b>Backrest Height ±15mm</b>	600	600.0
	<b>Backrest Width ±10mm</b>	440	440.0
	<b>Seat Height ±15 mm</b>	450	450
	<b>Seat Width ±10 mm</b>	500	500
	<b>Seat Depth ±10 mm</b>	500	500.0
	<b>Thickness of MS Plate Joining the under structure with Seat</b>	2	2.0
	<b>Thickness of Plywood used in Seat ±1(mm)</b>	N.A	N.A
	<b>Thickness of Plywood used in Backrest ± 1(mm)</b>	N.A	N.A
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	50 mm	50 mm
	<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)</b>	N.A	N.A
	WARANTEE	<b>Warrantee period in number of years</b>	1-year
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	YES	YES

<b>BIFMA Certification</b>	YES	YES
<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES
<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES
<b>Green guard certification</b>	YES	YES
<b>Aiota</b>	YES	YES

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Swagatika Padhi	768019,Indian Institute of Management Sambalpur, Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha- 768019	300	45

#### Sofas ( 10 pieces ) ( Under PAC )

Make	godrejinterio
Model	godrejinteriorioplus2seatersofa

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Material	<b>Frame Structure Material and size (±1 mm)</b>	18 mm teak plywood	18 mm teak plywood
	<b>Seat Cusion Material</b>	foam	foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	35	*
	<b>Type of Spring in the Base / Seating</b>	web suspension	web suspension
Generic	<b>Total Number of Seats in the Sofa Set (Nos)</b>	2	2
	Type of Sofa and Backrest	Seat and Backrest are permanently fixed with the	*

	frame Structure	
<b>Number of Single Seater Units (Nos)</b>	NO SINGLE SEATER UNIT	NO SINGLE SEATER UNIT
<b>Number of Two Seater Units (Nos)</b>	1	1
<b>Number of Three Seater Units (Nos)</b>	NO THREE SEATER UNIT	NO THREE SEATER UNIT
<b>Number of Four Seater Units (Nos)</b>	NO FOUR SEATER UNITS	NO FOUR SEATER UNITS
<b>Frame Covering</b>	Fully Upholstered	Fully Upholstered
<b>Sofa Set is Foldable to use as bed</b>	No	Yes, No
Backrest Cushion Material	foam	*
Density of Cushion of Backrest Material (Kg/Cubic M)	32	*
<b>Covering Material for Seat and Backrest</b>	Leatherite	Leatherite
Dimension	<b>Length of Single Seater Units in mm (±5 mm)</b>	N.A
	<b>Length of Two Seater Units in mm (±10 mm)</b>	1320
	<b>Length of Three Seater Units in mm (±10 mm)</b>	N.A
	<b>Length of Four Seater Units in mm (±10 mm)</b>	N.A
	<b>Depth of Sofa Units in mm (±10 mm)</b>	550
	<b>Sofa Height (Without Back Cushion) ±5 (mm)</b>	400
	<b>Sofa Height (With Back Cushion) ±5 mm</b>	775
	Arm Width ±5 (mm)	230
	Arm Height ±5 (mm)	500
	Seat Height (With Seat Cushion) ±5 (mm)	390
	Sofa Leg Height ±2(mm)	25
	Sofa Leg Width / Diameter ±2 (mm)	25
	<b>Seat Cushion Length ±5 (mm)</b>	870
	<b>Seat Cushion Width ±5 (mm)</b>	530
	<b>Seat Cushion Thickness ±5 (mm)</b>	100
	<b>Backrest Cushion Length ±5 (mm)</b>	1320

	<b>Backrest Cushion Width ±5 (mm)</b>	335	335
	Backrest Cushion Thickness ±3 (mm)	60	*
	Thickness of Foam in arms ±2 (mm)	50	*
	Thickness of Foam in back ±2 (mm)	76	*
	Thickness of Foam in front ±2 (mm)	15	*
	Thickness of Foam in sides ±2 (mm)	10	*
Colour & Finish	Colour of Polish on exposed Wood frame	N.A	*
	Colour of Covering Material	black	*
Warranty	<b>WARRANTY PERIOD IN NUMBER OF YEARS</b>	1	1

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Swagatika Padhi	768019,Indian Institute of Management Sambalpur, Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha- 768019	10	45

#### Sofas ( 9 pieces ) ( Under PAC )

Make	godrejinterio
Model	godrejinteriorioplus3seatersofa

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Material	<b>Frame Structure Material and size (±1 mm)</b>	18 mm teak plywood	18 mm teak plywood
	<b>Seat Cusion Material</b>	foam	foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	35	*
	<b>Type of Spring in the</b>	web suspension	web suspension

	Base / Seating		
Generic	<b>Total Number of Seats in the Sofa Set (Nos)</b>	3	3
	Type of Sofa and Backrest	Seat and Backrest are permanently fixed with the frame Structure	*
	<b>Number of Single Seater Units (Nos)</b>	NO SINGLE SEATER UNIT	NO SINGLE SEATER UNIT
	<b>Number of Two Seater Units (Nos)</b>	NO TWO SEATER UNIT	NO TWO SEATER UNIT
	<b>Number of Three Seater Units (Nos)</b>	1	1
	<b>Number of Four Seater Units (Nos)</b>	NO FOUR SEATER UNITS	NO FOUR SEATER UNITS
	<b>Frame Covering</b>	Fully Upholstered	Fully Upholstered
	<b>Sofa Set is Foldable to use as bed</b>	No	No
	Backrest Cushion Material	foam	*
	Density of Cushion of Backrest Material (Kg/Cubic M)	32	*
	<b>Covering Material for Seat and Backrest</b>	Leatherite	Leatherite
	Dimension	<b>Length of Single Seater Units in mm (±5 mm)</b>	N.A
<b>Length of Two Seater Units in mm (±10 mm)</b>		N.A	N.A
<b>Length of Three Seater Units in mm (±10 mm)</b>		1710	1710
<b>Length of Four Seater Units in mm (±10 mm)</b>		N.A	N.A
<b>Depth of Sofa Units in mm (±10 mm)</b>		550	550
<b>Sofa Height (Without Back Cushion) ±5 (mm)</b>		400	400.0
<b>Sofa Height (With Back Cushion) ±5 mm</b>		775	775.0
Arm Width ±5 (mm)		230	*
Arm Height ±5 (mm)		500	*
Seat Height (With Seat Cushion) ±5 (mm)		390	*
Sofa Leg Height ±2(mm)		25	*
Sofa Leg Width / Diameter ±2 (mm)		25	*
<b>Seat Cushion Length ±5 (mm)</b>		1265	1265

	<b>Seat Cushion Width ±5 (mm)</b>	530	530
	<b>Seat Cushion Thickness ±5 (mm)</b>	100	100
	<b>Backrest Cushion Length ±5 (mm)</b>	1715	1715
	<b>Backrest Cushion Width ±5 (mm)</b>	335	335
	Backrest Cushion Thickness ±3 (mm)	60	*
	Thickness of Foam in arms ±2 (mm)	50	*
	Thickness of Foam in back ±2 (mm)	76	*
	Thickness of Foam in front ±2 (mm)	15	*
	Thickness of Foam in sides ±2 (mm)	10	*
Colour & Finish	Colour of Polish on exposed Wood frame	N.A	*
	Colour of Covering Material	black	*
Warranty	<b>WARRANTY PERIOD IN NUMBER OF YEARS</b>	1	1

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Swagatika Padhi	768019, Indian Institute of Management Sambalpur, Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha- 768019	9	45

#### Bid Specific Additional Terms and Conditions

- 1.Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 2.Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 3.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 4.Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder



from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**