

Bid Document

Bid Details	
Bid End Date/Time	09-09-2019 15:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Human Resource Development
Department Name	Department Of Higher Education
Organisation Name	Indian Institute Of Management (iim)
Office Name	Sambalpur, Odisha
Total Quantity	18
Item Category	Sofas (PAC Only) , Sofas (PAC Only) , Modular Extendable Conference Table (PAC Only) , Credenzas (PAC Only)
Average Turnover (Last 3 Years)	1 Lakh (s)
OEM Average Turnover (Last 3 Years)	1 Lakh (s)
Experience with Government Required	3 Year (s)
MSE Exemption For Years Of Experience And Turnover	Yes
Startup Exemption For Years Of Experience And Turnover	Yes
Document required from seller	Experience with Government,Annual Turnover
Bid to RA enabled	No

Sofas (1 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriojinerio3seatersofa

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Total Number of Seats in the Sofa Set	3	3

(Nos)			
Type of Sofa and Backrest	Seat and Backrest are permanently fixed with the frame Structure	*	
Number of Single Seater Units (Nos)	NO SINGLE SEATER UNIT	NO SINGLE SEATER UNIT	
Number of Two Seater Units (Nos)	NO TWO SEATER UNIT	NO TWO SEATER UNIT	
Number of Three Seater Units (Nos)	1	1	
Number of Four Seater Units (Nos)	NO FOUR SEATER UNITS	NO FOUR SEATER UNITS	
Frame Covering	Fully Upholstered	Fully Upholstered	
Sofa Set is Foldable to use as bed	No	*	
Backrest Cushion Material	foam	*	
Density of Cushion of Backrest Material (Kg/Cubic M)	28	*	
Covering Material for Seat and Backrest	leather fabric	leather fabric	
MATERIAL	Frame Structure Material and size (± 1 mm)	19 mm commercial board	19 mm commercial board
	Seat Cushion Material	foam	foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	30	*
	Type of Spring in the Base / Seating	web suspension	web suspension
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	N.A	N.A
	Length of Two Seater Units in mm (± 10 mm)	N.A	N.A
	Length of Three Seater Units in mm (± 10 mm)	2050	2050
	Length of Four Seater Units in mm (± 10 mm)	N.A	N.A
	Depth of Sofa Units in mm (± 10 mm)	900	900
	Sofa Height (Without Back Cushion) ± 5 (mm)	450	*

Sofa Height (With Back Cushion) ± 5 mm	850	*	
Arm Width ± 5 (mm)	200	*	
Arm Height ± 5 (mm)	550	*	
Seat Height (With Seat Cushion) ± 5 (mm)	475	*	
Sofa Leg Height ± 2 (mm)	50	*	
Sofa Leg Width / Diameter ± 2 (mm)	50	*	
Seat Cushion Length ± 5 (mm)	1450	*	
Seat Cushion Width ± 5 (mm)	510	*	
Seat Cushion Thickness ± 5 (mm)	200	*	
Backrest Cushion Length ± 5 (mm)	1990	*	
Backrest Cushion Width ± 5 (mm)	508	*	
Backrest Cushion Thickness ± 3 (mm)	150	*	
Thickness of Foam in arms ± 2 (mm)	125	*	
Thickness of Foam in back ± 2 (mm)	50	*	
Thickness of Foam in front ± 2 (mm)	15	*	
Thickness of Foam in sides ± 2 (mm)	10	*	
COLOUR & FINISH	Colour of Polish on exposed Wood frame	N.A	*
	Colour of Covering Material	brown	*
WARRANTY	WARRANTY PERIOD IN NUMBER OF YEARS	1	1

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days

1	Ratri Parida	768019,Indian Institute of Management Sambalpur, Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha- 768019	1	15
---	--------------	---	---	----

Sofas (2 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriojinerio1seatersofa

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Total Number of Seats in the Sofa Set (Nos)	1	1
	Type of Sofa and Backrest	Seat and Backrest are permanently fixed with the frame Structure	*
	Number of Single Seater Units (Nos)	1	1
	Number of Two Seater Units (Nos)	NO TWO SEATER UNIT	NO TWO SEATER UNIT
	Number of Three Seater Units (Nos)	NO THREE SEATER UNIT	NO THREE SEATER UNIT
	Number of Four Seater Units (Nos)	NO FOUR SEATER UNITS	NO FOUR SEATER UNITS
	Frame Covering	Fully Upholstered	Fully Upholstered
	Sofa Set is Foldable to use as bed	No	*
	Backrest Cushion Material	foam	*
	Density of Cushion of Backrest Material (Kg/Cubic M)	28	*
	Covering Material for Seat and Backrest	leather fabric	leather fabric
MATERIAL	Frame Structure Material and size (±1 mm)	19 mm commercial board	19 mm commercial board
	Seat Cushion Material	foam	foam
	Density of Cushion of Seat Material ±3	30	*

	(Kg/Cubic M)		
	Type of Spring in the Base / Seating	web suspension	web suspension
DIMENSION	Length of Single Seater Units in mm (±5 mm)	850	850
	Length of Two Seater Units in mm (±10 mm)	N.A	N.A
	Length of Three Seater Units in mm (±10 mm)	N.A	N.A
	Length of Four Seater Units in mm (±10 mm)	N.A	N.A
	Depth of Sofa Units in mm (±10 mm)	900	900
	Sofa Height (Without Back Cushion) ±5 (mm)	450	*
	Sofa Height (With Back Cushion) ±5 mm	800	*
	Arm Width ±5 (mm)	200	*
	Arm Height ±5 (mm)	550	*
	Seat Height (With Seat Cushion) ±5 (mm)	475	*
	Sofa Leg Height ±2(mm)	50	*
	Sofa Leg Width / Diameter ±2 (mm)	50	*
	Seat Cushion Length ±5 (mm)	450	*
	Seat Cushion Width ±5 (mm)	510	*
	Seat Cushion Thickness ±5 (mm)	200	*
	Backrest Cushion Length ±5 (mm)	1050	*
	Backrest Cushion Width ±5 (mm)	508	*
	Backrest Cushion Thickness ±3 (mm)	150	*
	Thickness of Foam in arms ±2 (mm)	125	*
	Thickness of Foam in back ±2 (mm)	50	*

	Thickness of Foam in front ± 2 (mm)	15	*
	Thickness of Foam in sides ± 2 (mm)	10	*
COLOUR & FINISH	Colour of Polish on exposed Wood frame	N.A	*
	Colour of Covering Material	brown	*
WARRANTY	WARRANTY PERIOD IN NUMBER OF YEARS	1	1

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ratri Parida	768019,Indian Institute of Management Sambalpur, Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha- 768019	2	15

Modular Extendable Conference Table (14 per seat) (Under PAC)

Make	godrejinterio
Model	godrejinteriosenateconferencetablestandardwithwiremanager

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	SELLING UNIT	SELLING UNIT IS PER SEAT. SELLER TO OFEER PRICES IN TREMS OF PRICE PER SEAT. WHILE ORDERING, BUYER TO ORDER FOR QUANTITY OF SEATS REQUIRED IN CONFERENCE TABLE.	SELLING UNIT IS PER SEAT. SELLER TO OFEER PRICES IN TREMS OF PRICE PER SEAT. WHILE ORDERING, BUYER TO ORDER FOR QUANTITY OF SEATS REQUIRED IN CONFERENCE TABLE.
	Type of Seating Offered	Single Seating,Dual Seating	Single Seating, Dual Seating

	Two Long Sides of Table	Have Post Form Half Round Profile	*
	Top Fixing	With gable end and modesty panel using Mini Fix And Wooden Dowel By Using (Knock Down) System For Interconnecting	With gable end and modesty panel using Mini Fix And Wooden Dowel By Using (Knock Down) System For Interconnecting
	For Gap/Wrap age	N.A	*
	Number of single seater	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,N.A	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, N.A
	Number of dual seater	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,N.A	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, N.A
	Number of corners for work top	1,2,3,4	1, 2, 3, 4
	Mode of Supply of modular table	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Material of work top ± 3 mm	25mm Other Wood	25mm Other Wood
	Table top plain side	Edge banded with PVC tape of 2 mm thick with help of hot melt glue	Edge banded with PVC tape of 2 mm thick with help of hot melt glue
	Material of Gable end and modesty panel ± 3 mm	18 Mm Thick Three Layers Prelaminated Particle Boards Of Grade-II Type-III Of IS:12823/Latest Both Sides Particle Boards Matching With Top Shade In Grade-II Type-III	18 Mm Thick Three Layers Prelaminated Particle Boards Of Grade-II Type-III Of IS:12823/Latest Both Sides Particle Boards Matching With Top Shade In Grade-II Type-III
	Buffer Provided	NA	*
DIMENSION	Length of Each Seat of Work Top ± 20 mm	675 mm for single AND 1350 mm For dual	675 mm for single AND 1350 mm For dual
	Depth of Work Top ± 20 mm	600 mm	600 mm
	Height of Work Top ± 20 mm	750 mm	750 mm
	Corners of work top ± 20 mm	900 mm	*

COLOUR & FINISH	Table top finish	Membrane Finish	Membrane Finish
	Colour of top finish	As per buyer's choice	*
	Plain sides of gable end and modesty panel finish	Edge banded with 0.8-1.0 mm thick PVC tape with the help of hot glue	*
WARANTY	Warranty period in number of years	1	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
	Product having BIFMA certification	NO	NO

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ratri Parida	768019,Indian Institute of Management Sambalpur, Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha- 768019	14	15

Credenzas (1 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioimpressbackunit

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)

MATERIAL & MATERIAL THICKNESS	Material specification	Prelaminated particle board of grade II type III of IS 12823/Latest.Both side laminated. Outer side laminated with shade matching with top shade and facia shade and having balancing laminate of 0.5mm thickness on other side	Prelaminated particle board of grade II type III of IS 12823/Latest.Both side laminated. Outer side laminated with shade matching with top shade and facia shade and having balancing laminate of 0.5mm thickness on other side
	Material thickness of complete body,Fascia and drawer/compart ment ±2 mm	19	19, 25, 38 Or higher
	Material thickness for back, partition and drawer bottom/compartmen t shelves ±2mm	15	15, 19, 25, 38 Or higher
	Skirting Thickness ±2mm	15	15, 19 Or higher
	All plain panels edge to be banded	With 0.8-1.0 mm thick PVC tape with the help of hot melt glue	With 0.8-1.0 mm thick PVC tape with the help of hot melt glue
GENERIC	Mode of supply	Knocked Down to be assembled at consignee site by the seller	Knocked Down to be assembled at consignee site by the seller
	Design of credenza unit	Compartments(With Shelves) only	Compartments(With Shelves) only
	Number of drawers	N.A	N.A
	Number of compartments with shelves	Four Nos	Four Nos
	Number of shelves in each compartment	Two Nos	Two Nos
	Number of compartment without shelves	N.A	N.A
	Number of partition for compartment	One Nos	One Nos
	Number of compartment in each partition	N.A	N.A
	Type of doors for compartments	Shutter hung on side	Shutter hung on side
	Number of doors	Six Nos	Six Nos

DIMENSION	Width of credenza unit ± 20mm	2200 mm	2200 mm
	Height of credenza unit ±20 mm	2000 mm	2000 mm
	Depth of credenza unit ±20mm	410 mm	410 mm
MISC	Preservation treatment	YES	*
	Locking System provided	YES	YES
	Handles for Drawer/Compartment	Corrosion Resistance Metal	*
	Fixing of channel for drawer	N.A	*
	Length of Telescopic channel ±10mm	N.A	*
	Average weight of telescopic channel ±50Gms	N.A	*
	Openables shutter hung on side of the compartment	N.A	*
	Number of Buffer provided at the bottom	4	*
COLOUR & FINISH	Colour	teak	*
	Material finish	As per buyer's choice	*
WARRANTY	Warrantee period in number of years	1	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES
	Product having BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ratri Parida	768019, Indian Institute of Management Sambalpur, Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha- 768019	1	15

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Buyer Specific Additional Terms and Conditions

- 1. Procurement under this bid is reserved for purchase from :** Local Supplier as defined in Public Procurement Preference to Make in India Order 2017 and its subsequent Orders Notifications issued by concerned Nodal Ministry for specific Goods/ Products.
- 2. Scope of supply (Bid price to include all cost components) :** Supply Installation Testing and Commissioning of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---