

INDIAN INSTITUTE OF MANAGEMENT SAMBALPUR

Sambalpur University Campus, Jyoti Vihar, Burla, Sambalpur, Odisha-768019

Tender No: IIMSBP/2019-20/RP/14 Date: 27 May 2019

Notice Inviting Tender for Supply, Installation, Testing & Commissioning (SITC) of Gym & Sports Equipment's at IIM Sambalpur

Indian Institute of Management Sambalpur (IIM Sambalpur) invites online bids in two bid system from reputed, experienced and financially sound parties for the following work:

Brief Details of Tender:

Tender Description	Tender Period	EMD Value in (Rs.)
Tender for Supply and Installation,		
Testing & Commissioning (SITC) of Gym		
& Sports Equipment's at IIM Sambalpur	One Year	Rs. 50,000/-

The tender documents can be download from institute website http://www.iimsambalpur.ac.in and Central Public Procurement (CPP) portal https://eprocure.gov.in/epublish/app or https://eprocure.gov.in to be submitted online only up to the last date & time of submission of tender.

Critical Dates of Tender:

Sl. No	Particulars	Date	Time
1	Date & Time of Publication/ Download of	27/05/2019	5.00 pm
	Tender		
2	Pre-Bid Meeting Date & Time	31/05/2019	11.00 am
3	Bid Submission Start Date & Time	28/05/2019	10.00 am
4	Bid Submission Close Date & Time	10/06/2019	4.00 pm
5	Opening of Bids	11/06/2019	4.30 pm

1. ABOUT IIM SAMBALPUR

IIM Sambalpur is an institute of National Importance under MHRD as per IIM Act 2018 passed by the Parliament. The temporary campus of IIM Sambalpur is located at Jyoti Vihar, Burla, Sambalpur - 768019.

2 EARNEST MONEY DEPOSIT DETAILS:

EMD of **Rs. 50,000/-** (Rupees Fifty Thousand Only) in the form of Demand Draft/Banker's Cheque/NEFT from Nationalized/scheduled bank in favour of Indian Institute of Management Sambalpur, payable at Sambalpur, should be submitted. The EMD should be valid for at least 90 days. The details are mentioned below:

BANK DETAILS:

Name- Indian Institute of Management Sambalpur Bank Name- State Bank of India Account Number- 36134431122 Bank Address- Sambalpur Burla Main Branch-768017 IFSC Code- SBIN0002034

Mail Id- procurement@iimsambalpur.ac.in

- a) EMD of all unsuccessful bidders (if any) will be returned after finalization of the tender. EMD of the successful bidder will be returned only after receipt of Security Deposit towards Performance Guarantee.
- b) In case of successful tenderer, the EMD (if any) may be adjusted towards the Performance Security deposit on request.
- c) The amount of EMD (if any) is liable to be forfeited, if the tenderer withdraws from the offer after submission of the tender or after the acceptance of the offer and fails to remit the Performance Security Deposit.
- d) No interest will be paid on the EMD (if any) / Performance Security deposited / remitted.
- e) The details pertaining to Tender fee/EMD (if any) are to be filled as per Annexure-I.

3. IMPORTANT DOCUMENT

Important Documents – Copy of Firm Registration Certificate, PAN Card, GST are to be provided.

Eligibility Criteria

- a) The Bidder should give self-declaration certificate for acceptance of all terms and conditions of tender documents. A duly completed certificate to this effect is to be submitted as per the **Annexure-II**.
- b) The firm should be neither blacklisted by any government department nor should there be any criminal case registered/pending against the firm or its owner/partners anywhere in India. A duly completed certificate to this effect is to be submitted as per **Annexure-III**.
- c) The firm should attach list of Work Orders/ documentary evidence where the similar type of work has been executed during previous seven years from the date of publication of tender as detailed below
 - (i) Three similar works of 40% of the estimated cost **OR**
 - (ii) Two similar works of 50% of the estimated cost **OR**
 - (iii) One similar work of 80% of the estimated cost
- d) The Annual Turnover should be at least 30% of the estimated cost during each of the previous three financial years (2013-14 to 2015-16) or (2014-15 to 2016-17). Copies of duly signed trading and profit & loss accounts / CA Certificate are to be submitted as per the **Annexure-IV**.

Technical Criteria

Bidders should comply with the specification of the tendered item are acceptable. The detailed format is attached at **Annexure-V** the same in all respect and submit accordingly. Duly filled format of Technical Bid as per Annexure.

4. SCOPE OF WORK

Supply, Installation, Testing & Commissioning (SITC) of Gym & Sports equipment at Hostels and Guest House of IIM Sambalpur as per the equipment details mentioned in **Annexure-VI**.

The AMC for the Gym and Sports equipment shall be provided for next two years after the completion of warranty period.

Financial Bid Details

Financial bid given with tender is to be submitted after filling all relevant information. The priced should be uploaded strictly **as Annexure-VII** available with the tender failing which the offer is liable for rejection. Kindly quote your price on for IIM Sambalpur (inclusive of all taxes and charges).

5. BID VALIDITY PERIOD

The bid will remain valid for 12 months from the date of opening of financial bid as prescribed by IIM Sambalpur. A bid valid for a shorter period shall be rejected, being non-responsive.

6. BID SUBMISSION

Instruction for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (URL: http://eprocure.gov.in). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

https://eprocure.gov.in/eprocure/app.

7. REGISTRATION

- a) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll" on the CPP Portal is free of charge.
- b) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- c) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- d) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sift' / TCS / nCode / eMudhraetc.), with their profile.
- e) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- f) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

8. SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

9. BID EVALUATION

IIM Sambalpur evaluates the Commercial Bid of those Bidders who qualify the eligibility criteria and comply to Technical qualification. The eligible bidder who will quote the lowest price and will be agreed to supply the specified brands (Mentioned in Annex-VII) will be awarded the contract

10. PAYMENTS TERMS

Payment shall be released only after successfully supply, installation & commissioning of all Gym and Sports equipment's to IIM Sambalpur. In case any product is found defective, or not of desired quality etc., the same should be returned by the firm (s) immediately (maximum 15 days) for which no extra payment shall be made. Invoice should be submitted only after successfully supply, installation & commissioning of all Gym and Sports equipment's at IIM Sambalpur. No advance payment will be made in any case.

AMC of the Gym and Sports Equipment's shall be paid on quarterly basis after the successfully completion of 3 months service.

11. WARRANTY OF QUALITY AND QUANTITY

The awardee shall give minimum one-year onsite warranty on supplied items and the AMC for the same shall be start after the completion of warranty period.

The awardee shall give warranty that all items are as per specification(s), conforming to the specified brands and there are no defects in the process of packaging, transportation and delivery.

Upon receipt of notice from IIM Sambalpur for defective material, the firm shall within 15 days of receipt of the notice, replace the defective equipments, free of cost at the destination. The firm shall take over the defective material at the time of their replacement. No claim whatsoever shall lie on IIM Sambalpur for the replaced goods thereafter. If the firm fails to replace the defective goods within a reasonable period, IIM Sambalpur may proceed to take such remedial actions as may be necessary, at the company's risk and expense.

12. LIQUIDITY DAMAGES

In case of delay in supply by the stipulated date, IIM Sambalpur reserves the right of imposing Liquidated Damages (LD) @ 0.5 % per week, subject to maximum 10 % of the total cost of supply order.

13. PERFORMANCE SECURITY DETAILS

- a) The successful tender will have to deposit the performance guarantee in the form of Bank Guarantee/D.D. at the rate of 10% of the total value of order immediately on receipt of order in favour of IIM Sambalpur, and the same will remain with IIM Sambalpur until expiry of warranty period (15 Months). No interest will be paid by IIM Sambalpur on the deposit.
- b) Performance Security will be refunded to the supplier, after it duly performance completes the contract/warranty period in all respects.
- c) Performance Security will be forfeited if the firm fails to perform/abide by any of the terms or conditions of the contract.
- d) In case, the firm fails to SITC the required goods/items within specified delivery period, the same goods/items will be procured from open market and the difference of cost, if any, will be recovered from Performance Security or from pending bill(s) of the defaulting firm or from both in case the recoverable amount exceeds the amount of Performance Security.
- e) In case of non-receipt of Security Deposit within the stipulated time, EMD will be converted into Security Deposit and the balance amount will be recovered from the bill submitted for the payment.

14. DELIVERY SCHEDULE

The successful bidder should Delivery of materials and installation at IIM Sambalpur must be completed within **30 days** from the date of issuance of Work Order. The rates should be inclusive of Delivery and Installation charges at IIM Sambalpur. In case of any damage found, the equipment/ item(s) should be replaced within 15 days at IIM Sambalpur. The bidder has to make own arrangement for unloading of the items.

15. FORCE MAJEURE

- a) Should any force majeure circumstances arise, each of the contracting parties be excused for the non-fulfilment or for the delayed fulfilment of any of its contractual obligations, if the affected party within 15 days of its occurrence informs in a written form to the other party.
- b) Force Majeure shall mean fire, flood, natural disaster or other acts such as war, turmoil, sabotage, explosions, epidemics, quarantine restriction, strikes, and lockouts i.e. beyond the control of either party.

16. TERMINATION FOR INSOLVENCY

The IIM Sambalpur may at any time terminate the Contract by giving a written notice to the awarding firm, without compensation to the firm, if the firm becomes bankrupt or otherwise insolvent as declared by the competent Court, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the department.

The courts of Sambalpur alone will have the jurisdiction to try any matter, dispute or reference between the parties arising out of this purchase. It is specifically agreed that no court outside and other than Sambalpur Court shall have jurisdiction in the matter.

17. ARBITRATION

In the event of any dispute or difference arising under this supply, the Director, IIM Sambalpur or his nominee is the arbitrator and the decision of the arbitration will be binding on both parties.

18. OTHER CONDITIONS

- a) The bidder has to upload the relevant & readable files only as indicated in the tender documents. In case of any irrelevant or non-readable files, the bid may be rejected.
- b) IIM Sambalpur reserves the right to accept or reject any or all the tenders in part or in full or may cancel the tender, without assigning any reason thereof.
- c) IIM Sambalpur reserves the right to relax / amend / withdraw any of the terms and conditions contained in the Tender Document without assigning any reason thereof. Any inquiry after submission of the quotation will not be entertained.
- d) IIM Sambalpur reserves the right to modify / change / delete / add any further terms and conditions prior to issue of purchase order.
- e) IIM Sambalpur reserves the right to place repeat order upto 100% of the quantities within a period of 12 months from the date of successful completion of purchase order at the same rates and terms subject to the condition that there is no downward trend in prices.
- f) In case the bidders/successful bidder(s) are found in breach of any condition(s) at any stage of the tender, Earnest Money/Performance Security shall be forfeited.
- g) Conditional tenders will not be considered in any case.
- h) In case of doubt in material, the expenditure on testing of equipment will be borne by the tenderer.
- i) IIM Sambalpur shall not be responsible for any postal delay, non-receipt or non-delivery of the EMD & Tender Fee.
- j) IIM Sambalpur reserves the right to place the order to overall lowest bidder or split the order to more than one bidder at the respective lowest price.
- k) IIM Sambalpur may issue corrigendum to tender documents before due date of Submission of bid. The bidder is required to read the tender documents in conjunction with the corrigendum, if any, issued by IIM Sambalpur. The bidder is not supposed to modify the tender document.

<u>ANNEXURE – I</u>

To

Procurement Department Indian Institute of Management Sambalpur Jyoti Vihar, Sambalpur - 768019 Odisha

Sub: - EMD Details

Ref: - Tender No. IIMSBP / 2019-20/ RP/ 14 dated 27-05-2019

(Notice Inviting Tender for Supply and Installation, Testing & Commissioning (SITC) of Gym and Sports Equipments at IIM Sambalpur).

Dear Sir,

The following demand draft/banker's cheque/ bank guarantee in favour of IIM Sambalpur are enclosed herewith towards EMD

Detail of DD/NEFT	Amount	DD/NEFT No.	DD/NEFT Date	Bank Name
EMD	Rs.50,000/-			

Thanking you

Yours faithfully,

(Authorized Signatory with Seal)

ANNEXURE - II

To

Procurement Department Indian Institute of Management Sambalpur Jyoti Vihar, Sambalpur - 768019 Odisha

Sub: - Self Declaration Certificate

Ref: - Tender No. IIMSBP / 2019-20/ RP/ 14 dated 27-05-2019

(Notice Inviting Tender for Supply, Installation, Testing & Commissioning (SITC) of Gym and Sports Equipments at IIM Sambalpur).

Dear Sir,

With reference to the above, I am/ We are offering our competitive bids for Notice Inviting Tender for Supply, installation, Testing & Commissioning (SITC) of Gym Equipments at IIM Sambalpur, I / We hereby reconfirm and declare that I / We have carefully read, understood and complying the above referred tender document including instructions, terms and conditions, specifications, schedule of quantities and all the contents stated therein.

I / We also confirm that the rates quoted by me/us are inclusive of all taxes, duties etc, applicable as on date and are for IIM Sambalpur, and free delivery, and installation at IIM Sambalpur Campus, Jyoti Vihar, Burla, Sambalpur.

Authorized Signatory
Name:
Designation:
Contact No.:

Email ID:

ANNEXURE – III

CERTIFICATE

(To be provided on letterhead of the firm)

I hereby certify that the above firm neither blacklisted by any Central / State Government / Public Undertaking / Institute nor is any criminal case registered/pending against the firm or its owner/ partners anywhere in India.

I also certify that the above information is true and correct in any every respect and in any case, at a later date it is found that any details provided above are incorrect, any contract given to the above firm may be summarily terminated and the firm blacklisted.

Date:	Seal	Authorized Signatory
		Name:
Place:		Designation:
		Contact No.:

ANNEXURE-IV

Annual Turnover Details:

Eval	uation Criteria		Remarks
	Financial Years	Turnover in Rs.	
	2017-2018		Supporting
Bidder's Annual Turnover for last three financial years	2016-2017		Documents are to be attached along with the
	2015-2016		Annexure-IV

Date:

Seal

Name:

Designation:

Contact No:

Place:

ANNEXURE-V TECHNICAL BID

Sl. No	Required Details	Remarks (Relevant specific documents should be attached as a proof of compliance)
1	Name of the Party	
_	Date of Incorporation	
2	/Establishment	
3	PAN Number	
4	GST Number	
5	Firm Registration Certificate	
6	Bank Account Details Beneficiary Name- Account No- Account Type- Bank Name- IFSC Code- MICR No- Bank Address-	
7	Registered Office Address/Branch Office Address	
8	Firm should have work completion certificate for the said services from any Govt./Private Organizations in last 3 years.	
9	Submit the Certificate of Manufacturer or Authorized Dealer.	
10	For Product: Quality Assurance Certification for manufacturer: ISO 9001:2015 to be attached.	
12	For Bidder: (Supply of Gym Equipments) (i) OHSAS 18001 Certificate to be attached. (ii) RoHS Compliance Certificate to be attached. Authorized Signatory Details	Name
		Designation Email Phone

	The firm should attach list of Work					
	Orders/ documentary evidence					
	where the similar type of work has					
	been executed during previous					
	seven years from the date of					
	publication of tender as detailed					
15	below:					
	i) Three similar works of 40% of					
	the estimated cost OR					
	ii) Two similar works of 50% of					
	the estimated cost OR					
	ii) One similar work of 80% of the	Va	lid Supporti	ng docun	nents are to	be
	estimated cost	att	ached along	with An	nexure-IV	
	Meeting with the compliance/					
16	brands of the products and					
10	equipments as given in the			1		
	annexure-VI.		Yes		No	

- ❖ All the product and equipments should be deliver as per technical compliance/ brands mentioned in the tender.
- ❖ All relevant specific documents should be attached as a proof of compliance. In case any of the above certificates not provided it may lead to technical disqualification.

Thanking you

Yours faithfully,

(Authorized Signatory with Seal)

ANNEXURE-VI

Technical Specifications for supply and Installation of Gym & Sports Equipments at IIM Sambalpur Campus, Jyoti Vihar, Burla, Sambalpur

Sl. No	Gym & Sports Equipments	Qty.	Specification	Complied Yes/ No
1	Commercial Treadmill	2	 Width: 80 cms or more Length: 200 cms or more Height: 150 cms or more Heavy duty (Commercial) Motor: - AC minimum 4 HP (Continuous) or more with superior cooling mechanism for internal component. 1 year warranty on motor Running belt- Cushioned with auto lubrication, maintenance free belts. Display Console- LED/ LCD display window showing (time, distance, speed, Heart Rate, Calories, pulse rate, elevation, METs & Pace) etc. Safety Keys- Safety key stop system User Weight- 120- 150 kg or more Proper Electrical Safety features. Proper hand rails with soft grips with proper calibration. Heavy gauge steel welded frame. Stabilizer- 5 KVA 	
2	Stabilizer	2	5 KVA	
3	Domestic Treadmill	1	Overall Dimensions: Width: 80 cms or more Length: 170 cms or more Height: 120 cms or more Motor- AC Motor, 2.5 HP Continuous Duty, 5.0 Hp Peak Duty. Speed-1.0 to 20 Kmph. Elevation- 0% to 15 % Running Surface- Length- 55" x Width- 19" Programs- 19 Programs, 15Preset, 3 user, 1 fat and 1 Manual Display- LED with 6 Window display Power Requirement- 220V AC. Max User Weight- 130 Kgs.	

		Τ	- Orronall Director	
4	Power (Squat) rack	1	 Overall Dimensions: Length: 200 cms or more Width (with rod): 116 cms or more Height: 170 cms or more Weight bearing capacity should be more than 140 kg. Product Weight should be more than 220 kg Adjustable bar stoppage 15 or more cross members lock-out points for a safe, solid stop at any point during routine workout. Heavy duty all 4 side welded with 11gauge Tube mainframe steel construction with solid point stance for maximum stability. Should be compatible with Olympic bars. 	
			Superior cross hatch knurling	
		1	7 feet Olympic size	
5	Olympics bars	1	5 feet Olympic size	
		1	4 feet Olympic size Zigzag bar	
		1	4 feet Olympic size	
		1	3 feet Olympic size Heavy Duty	
6	Work bench(flat)	1	• Overall Dimensions: Width: 160 cms or more Length: 180 cms or more	
7	Work bench(incline)	1	Height: 125 cms or more Weight: 70 kg or more for Flat and 100kg for incline.	
8	Pec Deck machine	1	• Overall Dimensions: Length- 127 cms or more Width- 155 cms or more Height- 190 cms or more	
9	Elliptical Machine	2	 Overall Dimensions: Length: 215 cms or more Width: 68 cms or more Height: 168 cms or more Drive- Two stage drive with poly V-belt Resistance System: New Technology silent Resistance Level: 20-30 Levels or more Console-Programmable magnetic resistance system Console Type: LCD display with numeric keypad Display readouts: Time, Distance, RPM, Speed, Level	

			Heart Rate Monitoring. Programme- 20 Programs, including 10 Manual, 4 HRC, 12 preset, Various adjustable monitor angles. Foot Pedal Dimensions (inches / cm): 7 W x 15 L inches or 18 W x 38 L cm or equivent. Max User Weight: 180-200 Kg. Ramp Material: Precision extruded, anodized aluminum. Ramp Angle: 15-30° Handlebars: Dual action handlebars with high density foam grips, Moving, for total-body workout. Reversible Pedal Rotation: Required. Features: Built in speakers, Mp3 aux
			jack, USB Charging point, Accessory tray, Bottle holder, transport wheels, fan. Overall Dimensions:
10	Functional Trainer	1	Length- 160 cms pr more Width- 100 cms or more Height- 200 cms or more Weight Stack: (lbs)- 160 x 2 sides Frame- High Tensile Strength Steel, Continuous Welded, Factory Assembled Weight Frame. Cable- Heavy Rated Steel Cable With Nylon Coated. Tube- Round Tubing (Wicket Combination Or Weight Stack Frame) And Oval Tubing (Main Frame) Pulley- Fiber Glass Reinforced Nylon Pulleys With 'V' Grooved Channel
11	Dual Axis Incline	1	Overall Dimensions: Length- 200 cms or more Width- 98 cms or more Height- 95 cms or more
12	Dual Axis Decline	1	Overall Dimensions: Length- 200 cms or more Width- 95 cms or more Height- 80 cms or more
13	Rubberized Weight Plate with 2 nos. of Rack	Nos.	 Rubber coated with steel inside Round in shape With 50mm steel ring Should have groves for easy holding/ handling.

			 Should have steel rim inside for 	
			rod slot.	
			 Tear proof, soundless & bouncy 	
			effect.	
			Anti-rust	
			 Compatible with Olympic bars. 	
			Denominations:	
			2.5 kg- 8 nos.	
			5 kg- 9 nos.	
			7.5 kg- 3 nos.	
			10 kg- 6 nos.	
			15 kg- 2 nos.	
			20 kg- 2 nos.	
			25 kg- 2 nos.	
			 Main frame of high strength 	
			steel with heavy duty cushions	
			(4" X 2" gauge or oval pipes of	
			similar size).	
			• Overall Dimension:	
			Length: 170 cms or more	
			Width: 190 cms or more	
14	Olympic Flat Bench	1	Height: 110 cms or more	
			• Overall weight: 150 kg or more	
			 Weight bearing capacity should 	
			be 150 kg or more	
			 Compatible with Olympic size 	
			rods.	
			Wide base for added safety.	
			Overall Dimensions: Learner 195	
15	Olympic incline bench	1	Length: 185 cms or more	
	-		Weight: 195 cms or more	
			Height: 130 cms or more	
			• Overall Dimensions:	
			Length: 75 cm or more	
16	Preacher Bench Curl	1	Length: 75 cm or more Width: 70 cm or more	
16	Preacher Bench Curl	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more	
16	Preacher Bench Curl	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ	
16	Preacher Bench Curl	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more	
16	Preacher Bench Curl	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ	
		-	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more	
16	Preacher Bench Curl Vertical knee up	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more	
		-	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more	
		-	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more	
		-	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Rubber coated with steel inside.	
		-	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Rubber coated with steel inside. Hexagonal in shape for	
		-	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Rubber coated with steel inside.	
		-	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Rubber coated with steel inside. Hexagonal in shape for increased safety and comfort	
	Vertical knee up	-	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Rubber coated with steel inside. Hexagonal in shape for increased safety and comfort Knurled Chrome steel handle. Anti-rust	
17	Vertical knee up Rubberized Weight	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Rubber coated with steel inside. Hexagonal in shape for increased safety and comfort Knurled Chrome steel handle. Anti-rust Denominations:	
	Vertical knee up Rubberized Weight Dumbbell with 3 nos. of	-	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Height- 219 cms or more Rubber coated with steel inside. Hexagonal in shape for increased safety and comfort Knurled Chrome steel handle. Anti-rust Denominations: 2.5 kg- 6 nos.	
17	Vertical knee up Rubberized Weight	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Height- 219 cms or more Rubber coated with steel inside. Hexagonal in shape for increased safety and comfort Knurled Chrome steel handle. Anti-rust Denominations: 2.5 kg- 6 nos. 5 kg- 6 nos.	
17	Vertical knee up Rubberized Weight Dumbbell with 3 nos. of	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Height- 219 cms or more Rubber coated with steel inside. Hexagonal in shape for increased safety and comfort Knurled Chrome steel handle. Anti-rust Denominations: 2.5 kg- 6 nos. 5 kg- 6 nos. 7.5 kg- 4 nos.	
17	Vertical knee up Rubberized Weight Dumbbell with 3 nos. of	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Height- 219 cms or more Rubber coated with steel inside. Hexagonal in shape for increased safety and comfort Knurled Chrome steel handle. Anti-rust Denominations: 2.5 kg- 6 nos. 5 kg- 6 nos. 7.5 kg- 4 nos. 10 kg- 4 nos.	
17	Vertical knee up Rubberized Weight Dumbbell with 3 nos. of	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. • Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more • Rubber coated with steel inside. • Hexagonal in shape for increased safety and comfort Knurled Chrome steel handle. • Anti-rust • Denominations: 2.5 kg- 6 nos. 5 kg- 6 nos. 7.5 kg- 4 nos. 10 kg- 4 nos. 15 kg- 4 nos.	
17	Vertical knee up Rubberized Weight Dumbbell with 3 nos. of	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more Height- 219 cms or more Rubber coated with steel inside. Hexagonal in shape for increased safety and comfort Knurled Chrome steel handle. Anti-rust Denominations: 2.5 kg- 6 nos. 5 kg- 6 nos. 7.5 kg- 4 nos. 10 kg- 4 nos. 15 kg- 4 nos. 20 kg- 4 nos.	
17	Vertical knee up Rubberized Weight Dumbbell with 3 nos. of	1	Length: 75 cm or more Width: 70 cm or more Hight: 80 cm or more Simulate the movement of EZ Curl bar. • Overall Dimensions: Length- 150 cms or more Width- 122 cms or more Height- 219 cms or more • Rubber coated with steel inside. • Hexagonal in shape for increased safety and comfort Knurled Chrome steel handle. • Anti-rust • Denominations: 2.5 kg- 6 nos. 5 kg- 6 nos. 7.5 kg- 4 nos. 10 kg- 4 nos. 15 kg- 4 nos.	

19	Anti-burst ball	4	 85 cm Anti burst Hand pump, durable PVC-1 nos.
20	Mirror (6*6 ft.)	10	Clear Visibility
21	Punching Bag(25kg)	1	 Overall Dimensions: Weight: 25 Kg Height- 105 cms Solid filling material Stable 4 point Hanging chain- 35 cm chain circumferences- 92.5 cm Surface material- Polyester Filling Material- Foam, Material, Sand
22	Exercise/Yoga mat	20 Piece	 Overall Dimension: Length- 180 cms or more Width- 76 cms or more Thickness- 5 mm or more Material- PVC High- performance mat for professional daily practices guaranteeing little wear out providing extra cushioning effect. Non-Slip Non-Toxic Micro Fiber material.
23	Weight lifting belt	2 Piece	Small-1 nos.Medium-1 nos.
24	Skipping rope	5 sets	■ Good Quality with good rubber gripping
25	Spinning Bike	5	 Manual Resistance Type Adjustable Seat Adjustable wheel clamp Powder coated aluminum frame or steel frame. Horizontally and vertically adjustable Rubber Coated handle bar. Fly wheel – 20-25kg. Crank -3 piece Overall weight- 50 Kgs. or more User Weight Capacity- 120 kg or more V-Belt Overall Dimensions: Length: 127 cms or more Width: 50 cms or more Height: 110 cms or more

26	Super Bench (adjustable)	1	 Adjustable back adjusts from 90 degrees upright to flat, with seven total positions for working your chest, shoulders, biceps, and triceps. Allows four different seat positions. Back pad adjusts in 2 inch increments from 0° to 80° or better. Separate seat and back adjustments. Handle and wheels for easy mobility. Heavy duty, welded frame construction. Overall Dimensions: Length: 140 cms or more Width: 55 cms or more Height: NA 	
27	Gym Belt	5	Good Quality32"- 36" Inch Waist	
28	Digital Weighing Machine	4	■ Platform type, 150 kg Weights	
29	Gym Floor Mat	1500 Sqft. Approx.	 Standard Rubber Mat to protect frame from slipping and other damage 	
30	Bicycle (Unisex)	5	 Full Alloy Frame Front and back disc break Adjustable Seat 	
31	Badminton Shuttle Cock (Synthetic)	40 Barrel	 High Durable Nylon Shuttle, Standard Grade, Cork Base. 	
32	Basket Ball Back Boards	2	 Transparent Shatter Proof Poly Carbonate Back Board. Material: 3mm Poly Carbonate Height (cm): Adjustable Height 7.5 ft to 10 ft. (227 to 305 cm). RIM: 18x16mm solid steel, black, 3 pcs of 3.5" (89mm) pole system. Base: Vinyl heavy duty base with transport wheel, can be filled with water or sand. Net Wt. (Kgs.): 43.5 Kgs. 	
33	Pool Table	1	 Overall Dimension: Length: 244 cms or more Width: 122 cms or more Height: 82 cms or more Size- 8ft x 4ft Material: Highly Density Quality Wood & Hardboard with Scratch resist PVC, Height adjustable Chrome plated leg levelers with Chromed corners. 	

			 Automatic ball return system, Fine quality Fabric felt for smooth and fast play. Specification:
34	Music System (Sony/BOSH/Panasonic)	1	 360 Degree Party Speaker Light. 1000 Watt. Drum along to the music with Taiko Mode Highest Quality audio via NFC and Bluetooth technology. Illuminated and Splash proof LED touch panel Boost the party with Extra Speaker- Connect and add more speakers with wireless party chain via Wi-fi. Tilt and Roll for portability- A handle and Cater make it easy to roll and take the party anywhere. 2 nos. wireless Mike.

- **Note:** All the Gym & Sports equipments should be deliver as per technical compliance/ brands mentioned in the tender.
- The Body colour for the Gym Equipment is Preferably Lemon Yellow & Black Combination and Seat colour Preferably Navy Blue.

 All equipments should be ISO certified. 2.
- 3.

Date:		Authorized Signatory:
	Name: Seal	Name:
		Designation:
		Contact No:
Place:		

ANNEXURE-VII FINANCIAL BID

Declaration by the Bidder:

This is to certify that I/we before signing his tender have read and fully understood all the terms & conditions contain herein and undertake myself/ourselves to abide by them.

- 1. The Contractor shall take into account all the costs involved in compliance of all the conditions, taxes, duties, levies, delivery, installation and required accessories as stated above while quoting his rates in tender.
- 2. No other charges would be payable by IIM Sambalpur.
- 3. All the product and equipments should be deliver as per brands mentioned in the tender.

Date:	Name:	Authorized Signatory:
	Seal	Name:
		Designation:
Place:		Contact No: